



Healthy London Partnership Children & Young People's Dashboard

North Central London STP area April 2016



CONTENTS

INTRODUCTION	
METHODOLOGY	
INTERPRETING THE CHARTS	
PLACE BASED PLANNING	
CCG AND STP AREA	
SUMMARY	
DEMOGRAPHY CONTEXT	
AGE PROFILE (0-18 AND 0-25)	
DEMOGRAPHY OTHER	
MORTALITY CONTEXT	
MORTALITY RATES	
THE CARE AND QUALITY GAP	
ASTHMA	
ON-LINE ASTHMA TOOLKIT CHARTS (1)	
CUADTC (2)	
MENTAL HEALTH	
CHARTS - TREND	
SURGERY	
CONTENT	
TABLES	
CHARTS	
GENERAL HEALTH	
CONTEXT	
CUADTC (2)	
······································	





Introduction

This data pack has been commissioned by Healthy London Partnership (HLP) Children and Young People's (CYP) programme to support SPGs in preparation for the drafting of their Sustainability and Transformation Plans in relation to CYP. It is intended that the data pack will be extended and adapted following feedback from users. A second version will be made available by September 2016. It is intended that data will be refreshed annually together with included items.

This first version has a number of general data items describing the population of CYP in each CCG and STP and some of the population health behaviours. In addition, it contains specific data around HLP CYP key programme areas. Each data section is preceded by an explanatory paragraph which gives context to the data items and programme deliverables.

Where appropriate, CCG level data are displayed alongside those from i) the value for the whole STP; ii) comparator CCGs as per the commissioning for value packs (CFV); and averages for iii) London and iv) England. We have RAG rated each CCGs performance compared to England average where available confidence intervals allow.





METHODOLOGY

All of the measures are sourced from **published data** with the exception of the "Surgery" and "General Health" sections where all but two of the indicators have been derived from raw HES data supplied by the HSCIC.

No statistical calculations have been applied other than averages and rates per head of population. Confidence intervals have been used from publically available data. None of the indicators are directly or indirectly standardised. (ie rates are crude rate s only).

All definitions are given in the **technical appendix**. Definitions for all indicators come from reputable publically available sources and are referenced in this separate document.

Some of the source data is at CCG level, some at Local Authority level. A separate list of CFV peers was used for LA data.

Summary page

The **RAG rating** used is based on whether a CCG is significantly different from the England average. Eg If a high value is seen as "bad" then a CCG is shown as red if the lower CI is above the England average. This is a similar method to the PHE published Outcom es Framework tool.

The indicator relating to the percentage of looked after children assessed has been assessed as "Green" at 100% and "Red" at below 95%

Commissioning for value peers are different for all CCGs. The STP-wide value is an aggregation of each CCGs 10 peer CCGs. It is possible (and likely) that a CCG could be part of more than one peer group.

The **asthma audit data** are available for London only, so England and CFV peers are not available.

Statistical notes

All averages are **means**, not medians.

Aggregations for STP, London and England have been done by summing the numerators and denominators for all the member organisations.


Some indicators have **small numbers suppressed** where appropriate. This might cause inaccuracies when aggregating up the data.

Extreme caution should be exercised when drawing conclusions from differences in crude rates. This of special relevance to the "Surgical" and General Health" sections. Further versions of this pack may address this by applying more statistical tests to the data





INTERPRETING CHARTS




the value for the cfv peer ten closest CCGs or LAs (depending on the indicator). This peer is different for each CCG.

The CCG value. In this case West London. They have a lower value than the cfv peer , STP, London and England averages.

This chart shows the difference between the CCG and its peers for the last four periods.

The latest period shows a value of 121. This is the variance between the CCG value (130) and its cfv peer (251).







Support for Place-based Planning

"Place based planning" is well described within "Delivering the five year forward view: NHS planning guidance 2016/17 to 2010/21". This model delivers place-based 'systems of care' in which NHS organisations collaborate with other local NHS organisations and services to address the challenges and improve the health of the populations they serve. Organisations work together to govern the common resources available for improving health and care in their area. Major changes to the role of commissioners are needed to support the development of systems of care.


Place based care is based on system leadership and a shared vision developed with and based on the needs of local populations. A key aim of the CYP programme is to develop such **population based health networks** linking commissioners, providers and service users from across health and social care. A key element of this will be a **consistent CYP data set** which can be used for planning purposes at SPG and CCG level. This is the first iteration of such a data set. The intention is to receive and respond to feedback on the data set and develop it further for publication by September 2016.

In a" system of care" approach, commissioners will focus on defining and measuring outcomes, putting in place budgets covering the whole of a population's care, and using long-term contracts with providers linked to the delivery of these outcomes. Delegates on the **CYP commissioning development and leadership programme** will be supported to commence thinking on how planning on this basis can be enabled within each STP area.





CCG AND STP AREA







SUMMARY

5	Indicator	year	Barnet	Camden	Enfield	Haringey	Islington	STF	London	CFV	England
f	Population detailed age breakdown (% under age 1y)	2014	1.4%	1.1%	1.5%	1.5%	1.2%	1.4%		1.4%	1.2%
-	Population detailed age breakdown (% dnuel age 14) Population detailed age breakdown (% age 1-4y)	2014	5.9%	4.9%	6.2%	5.5%	4.7%	5.6%		5.8%	5.1%
-	Population detailed age breakdown (% age 1-4y) Population detailed age breakdown (% age 5-9y)	2014	6.8%	5.4%	7.4%	6.3%	4.7%	6.3%		6.4%	6.0%
-	Population detailed age breakdown (% age 10-14y)	2014	5.8%	4.8%	6.2%	5.6%	4.3%	5.5%		5.4%	5.5%
-	Population detailed age breakdown (% age 15-14y)	2014	4.6%	4.8%	5.2%	4.5%	4.2%	4.4%		4.4%	4.7%
-	Population detailed age breakdown (% age 19-189)	2014	7.0%	11.1%	7.4%	7.5%	11.3%	8.5%		4.4%	7.9%
		2014	56.9%								
Hd	% White British (under 18 yrs)	2011		49.7%	49.7%	47.7%	49.1%	51.3%		49.7%	78.5%
RA	% Mixed multiple (under 18 yrs)	2011	10.1%	13.1% 17.9%	10.9% 10.5%	13.9%	14.9%	12.1%		10.7% 15.2%	5.2%
00	% Asian British (under 18 yrs) % Black African/Caribbean (under 18 yrs)	2011	16.3% 10.9%	17.9%	23.3%	8.2% 25.2%	8.9% 22.9%	12.5% 19.1%		20.7%	10.0% 5.0%
EN		2011									
0	% Other (under 18 yrs)	2011	5.7%	3.8%	5.6% 25.5%	5.0% 24.4%	4.2%	5.1% 23.7%		3.7% 23.5%	1.3% 18.6%
1 F	Deprivation (% of children living in poverty)	2013	15.8%	0.6%	25.5%	1.3%	0.5%	1.0%		23.5%	
-	Autism spectrum disorder (% of school pupils)	2013	2.070		21.2		40.1	22.4		27.0	0.9%
- I - I-	Learning disabilities prevalence (rate per '000, school age)	2014-15	16.9 8798	15.8		26.8	40.1 3910	22.4	24.9	27.0	32.4
- I - I-	estimated asthma popln (based on national prevalence rates)	2014	147	4414 74	8200 137	5977 100	65				
-	estimated diabetes popln (based on national prevalence rates)	2014	147	6622	137	8965					
L	estimated LTC popn (based on national prevalence rates)	2014	1313/	0022	12300	2069	5864				
	neo-natal mortality (<28 days) crude rate per 1,000 live births	2014	1.0	2.2	1.5	2.0	2.4	1.7	2.1	2.4	2.8
MORT- ALITY	Infant mortality rate (<1 yr)	2012-2014	2.2	2.9	4.0	3.0	2.6	3.0		3.9	4.0
MG	Transport injury mortality (0-15 years) per 100,000 population	2012 - 14	12.0	6.9	12.9	18.9	19.3	15.1		16.7	20.7
· · · ·		•			-						
	Asthma admissions per 100,000 (<18y)	2014/15	135.5	169.9	219.1	170.6	296.1	166.5	206.9	211.2	207.1
1 D	Asthma admissions per 100,000 (age 3-18y)	2014/15	157.1	229.4	253.0	218.1	352.3	228.2	262.5	273.4	243.2
	% children with asthma that have asthma plans	2015	54%	50%	48%	46%	51%	50%	47%		
4	% CYP with asthma (5-18) who made a request for an emergency inhaler prescription	2015	21%	25%	30%	26%	31%	26%	25%		
WH	% CYP with asthma assessed for inhaler technique	2015	64%	67%	69%	67%	68%	67%	67%		
ASTHMA	% CYP with asthma having flu vaccination	2015	31%	32%	34%	30%	40%	33%	33%		
A	Smoking prevalence (%) amongst children (age 15)	2014/15	4.7%	7.1%	3.5%	6.5%	9.4%	5.8%	6.3%	6.4%	8.1%
1 [Flu vaccinations age 2-4 all groups	Sep 15 to Jan 16	27%	29%	24%	26%	20%	25%	26%	28%	34%
	Flu vaccinations age 2-4 in at risk groups	Sep 15 to Jan 16	43%	42%	39%	36%	38%	40%	41%	44%	49%
	Estimated asthma population (15-18 years) based on national prevalence rates	2014	6045	2989	5683	4095	2592				
											=0.0
E	Tier 4 admissions per 100,000 population	2012	73.9	79.3	79.3	75.3	76.7	76.7		76.9	78.3
EAL	self harm hospital admissions age 10-24 per 100,000 population	2010/11 - 12/13	226.9	143.0	156.2	191.7	248.6	184.5		210.7	347.0
ΓH	Warwick Edinburgh Mental Wellbeing scores	2014/15	48.7	47.9	48.4	48.0	48.0	48.3		47.7	47.6
ITA	% school pupils with social,emotional, MH needs	2014	2.3%	2.0%	2.7%	2.2%	2.9%	2.4%		2.2%	2.0%
MENTA	Emotional wellbeing of looked after children: % assessed Emotional wellbeing of looked after children: % considered "of concern"	2014 2012/13	99.0% 31.0%	86.0% 37.0%	90.0% 32.0%	64.0% 39.0%	71.0% 44.0%	77.5% 34.2%		72.9% 36.1%	70.1% 36.3%
	Emotional wellbeing of looked after children: % considered of concern	2012/13	31.0%	37.0%	32.0%	39.0%	44.0%	34.2%	35.2%	30.1%	30.3%
	% of children (<5 yrs) with tooth decay	2012	25.0%	36.3%	43.9%	38.0%	30.4%	34.7%	28.2%	26.6%	30.4%
۲۶	Rate of hospital admission for dental caries	2012/13 - 14/15	205.4	441.3	422.9	613.4	481.5	407.3		515.8	321.7
RGERY	Admission for torsion of testis procedure per 100,000 pop (0-18)	2014/15	4.5	2.3	3.7	3.3	5.1	3.8		5.9	6.4
SUR	Admission for appendectomy per 100,000 population (0-18)	2014/15	80.7	54.4	81.7	78.6	63.9	74.8		86.5	94.8
	Tonsillectomy operations per 100,000 population aged 0-18	2014/15	133.0	108.7	219.5	133.8	135.6	152.7		144.7	164.2
	All admissions (under 18) per 1000 population	2014/15	127.6	102.4	162.2	157.7	137.2	140.1		126.5	132.1
	Emergency admissions (under 18) per 1000 population	2014/15	51.6	41.4	75.2	68.5	62.9	61.0		60.9	69.1
л	All Emergency infant admissions (<1 yr) per 1000 population	2014/15	232.7	173.4	489.6	383.9	233.6	319.9		263.3	330.9
477.	% of A&E attenders (under 18) admitted via A&E	2014/15	9.2%	10.3%	13.9%	15.4%	13.9%	12.4%		13.6%	12.5%
ΤĘ	% of A&E attenders (infants <1yr) admitted via A&E	2014/15	15.9%	12.5%	36.5%	33.3%	18.3%	25.0%		22.4%	22.7%
3AL	Emergency Infant (<1 yr) average length of stay	2014/15	1.1	1.9	0.8	1.2	1.6	1.1		1.4	1.4
VER	A&E attendances (infants <1yr) per 1000 population	2014/15	1053.7	965.0	1180.5	1051.6	989.8	1063.8		899.3	718.6
GEI	A&E attendances (age 1-4) per 1000 population	2014/15	692.7	510.9	767.2	663.6	589.0	666.1		563.3	496.7
	A&E attendances (age 5-17) per 1000 population	2014/15	400.4	315.9	422.5	373.3	361.3	384.6		335.1	316.2
	A&E attendances (age 1-18) per 1000 population	2014/15	478.7	375.4	510.4	452.0	429.0	461.2		400.7	364.2
	A&E attendances (age 19-25) per 1000 population	2014/15	634.0	433.7	609.2	670.8	445.9	554.2	524.8	479.5	430.8





This section gives a visual representation of the population density of CYP within each STP area. This is shown as both a count of these CYP and as a % of the whole population. Data are then provided in tabular form giving the numbers of CYP in each CCG for under 18 years and under 25 years. A comparator table puts this in the context of the STP, commissioning for value and national averages.

An age profile of each CCG and STP is shown in a radar plot illustrating the percentage of population in each child age band.

The top 5 ethnic groups amongst CYP in each CCG are described in this section, together with graphical representation of the percentages of these groups in each CCG.


Levels of deprivation and autistic spectrum disorder are described in this section against the comparators previously described.

The numbers of CYP with asthma and diabetes in each CCG has been calculated based on population and national agreed rates of prevalence of both diseases.





DEMOGRAPHY - MAPS








DEMOGRAPHY - AGE PROFILE (0-18 and 0-25)

	All ages	under 18	Under 25	Under 18 %	Under 25 %
Barnet	374,915	87,983	118,372	23.5%	31.6%
Camden	234,846	44,144	72,556	18.8%	30.9%
Enfield	324,574	81,999	110,156	25.3%	33.9%
Haringey	267,541	59,769	82,864	22.3%	31.0%
Islington	221,030	39,096	66,117	17.7%	29.9%






	under 18	under 25
STP	22.0%	31.6%
CFV	22.2%	32.0%
London	22.5%	31.4%
England	21.3%	30.4%





DEMOGRAPHY - OTHER AGE PROFILES

		AGE GROUP					
CCG	<1	1 - 4	5 - 9	15 - 18	10 - 14	19 - 24	
Barnet	1.4%	5.9%	6.8%	4.6%	5.8%	7.0%	
Camden	1.1%	4.9%	5.4%	3.5%	4.8%	11.1%	
Enfield	1.5%	6.2%	7.4%	5.2%	6.2%	7.4%	
Haringey	1.5%	5.5%	6.3%	4.5%	5.6%	7.5%	
Islington	1.2%	4.7%	4.9%	3.5%	4.2%	11.3%	



	<1	1 - 4	5 - 9	15 - 18	10 - 14	19 - 24
STP	1.4%	5.6%	6.3%	4.4%	5.5%	8.5%
London	1.5%	5.9%	6.4%	4.4%	5.4%	7.8%
England	1.2%	5.1%	6.0%	4.7%	5.5%	7.9%

Number of live births 2012/14 average

	average per
Row Labels	year
Barnet	4760.0
Camden	2522.0
Enfield	4417.0
Haringey	3732.0
Islington	2554.0





ETHNICITY - TABLES

		Black			
Group	Asian British	African/Caribbean	Mixed multiple	Other	White British
Barnet	16.3%	10.9%	10.1%	5.7%	56.9%
Camden	17.9%	15.4%	13.1%	3.8%	49.7%
Enfield	10.5%	23.3%	10.9%	5.6%	49.7%
Haringey	8.2%	25.2%	13.9%	5.0%	47.7%
Islington	8.9%	22.9%	14.9%	4.2%	49.1%

STP	12.5%	19.1%	12.1%	5.1%	51.3%
London	19.8%	19.1%	10.5%	4.0%	46.6%
England	10.0%	5.0%	5.2%	1.3%	78.5%





ETHNICITY - CHARTS

% White

British

49%

ISLINGTON % Asian British

% Other

4%

9%

% Black


African/Caribbean


23%

% Mixed

multiple

15%











DEMOGRAPHY - OTHER





National prevalence rates used:

Asthma: 10% Diabetes: 1 in 600 LTC: 15%

See technical appendix for details

Long term conditions: Estimated cases based on national prevalence rates

	estimated asthma popIn	estimated diabetes popIn	estimated LTC popn (based on
	(based on national prevalence	(based on national prevalence	national prevalence rates)
CCG	rates)	rates)	
Barnet	8,798	147	13,197
Camden	4,414	74	6,622
Enfield	8,200	137	12,300
Haringey	5,977	100	8,965
Islington	3,910	65	5,864





Mortality


This section shows the total number of deaths amongst 0-19 year olds, together with neonatal (<28 days of life), total infant (0 to 365 days) and later child mortality and also shows transport mortality as the greatest killer of our children. Neonatal and infant mortality are shown as rates per 1000 livebirths.


Mortality, whilst relatively rare in CYP, remains the headline indicator of a health system's performance. Previous analyses of mortality in London have shown that London has higher numbers of children who die from preventable causes and higher numbers who die from acute medical and surgical causes than elsewhere in England. The RCPCH report *Why Children Die* (2014) outlines that poverty and health service fragmentation are the likely ultimate causes of mortality in CYP. Improving standards and reducing variation in the care of acutely unwell CYP is a key HLP priority in order to achieve this aim. This will be achieved by delivery of the London Acute Paediatric Standards, the Level 1 Paediatric Critical Care Standards and the initiation of peer review for acute paediatric services across London from 2016.






MORTALITY RATES







Crude Number of deaths 2014 (19 and under)

CCG	number
Barnet	29
Camden	13
Enfield	23
Haringey	22
Islington	17






Closing the Care and Quality Gap

Standards for inpatient care for CYP are well described through a wide number of documents. HLP has collated these into one overarching document "**London acute care standards for CYP**" (revised 2016). In 2016-17, HLP is supporting a peer review process in collaboration with CCG commissioners. This will be a supportive process which will give CCGs an understanding of the baseline level of delivery of the standards in their local provider. Included in the standards are the priority 7 day services standards:

- Time to consultant review
- Access to diagnostics
- Access to consultant-directed interventions
- On-going review

Action plans from the reviews will be signed off by boards at provider and CCG level. Once reviews are complete, an overarching report which describes the baseline across London will be published March 2017.







Closing the Care and Quality Gap

Level 1 and 2 paediatric critical care (high dependency care in DGH setting) In 2014 the Royal College of Paediatrics and Child Health published a report into HDU provision in DGHs "Time to Move On". This proposed an upskilling of all inpatient settings for CYP to include a level of paediatric critical care (PCC level 1) to be delivered in DGH settings. In addition some units would deliver level 2 critical care, mainly for long term ventilation.

Delivery of level 1 and 2 PCC would greatly improve the ability of DGHs to manage children with higher level of clinical need. This will increase the quality of care for CYP in London and improve outcomes (such as reducing mortality)

The HLP CYP programme developed and published **Level 1 and 2 paediatric critical care standards** in April 2016. These standards are applicable to all DGHs with inpatient paediatrics.

In order to quantify the need for this services, an audit has been undertaken across London of the need for number of patents who would benefit from this service. This data is currently being analysed.

Work is also in progress with CCGs and specialised commissioning to develop a co-commissioning framework

Discussions are taking place with HEE regarding the possible development of educational provision to support this service improvement.

MES Healthy London Partnership Children and Young People's Programme

Paediatric Critical Care











London Asthma Standards



for children and young people Driving consistency in outcomes for children and young people across the capital

Asthma is the most common long term condition affecting CYP. With consistency in management the variation in outcomes for CYP in London could be reduced. The London asthma standards reflect 14 ambitions for asthma care in settings across the system:

- Primary care
- Secondary and tertiary care
- Community pharmacies
- Schools
- Self care

The metrics in the data pack reflect some of the main areas of attention required for asthma care


- Numbers of CYP with asthma (estimated as not available directly)
- Unplanned asthma admissions per 100,000 population 0 18 years and for 3 18yrs (this excludes children with viral wheeze)
- Includes data by borough from London pharmacy asthma audit for CYP showing proportions with asthma plans or having needed emergency inhaler prescriptions in the past year
- The importance flu vaccination in this vulnerable group





On-line Asthma Toolkit


Support across the system to improve asthma care











ASTHMA - CHARTS (1)





















ASTHMA - CHARTS (2)











The last 2 years have seen an exceptional government, societal and NHS focus on mental health. In 2015 the publication of Future in Mind and subsequent investment in CCG-led Local CAMHS transformation plans (LTPs) ensured that the gap in meeting the needs of CYP was recognised and steps taken to address it. Measuring the gap and our success in closing it is important.

Having had the opportunity to read London's LTPs we have selected a small number of key metrics that start to describe the current state:

- well-being (Warwick-Edinburgh Score),
- commonplace difficulties (self-harm admission rates)
- need for highly specialised care (Tier 4 admissions)
- whether there is sufficient focus on vulnerable children (looked after children)

These data can then be used to check whether LTP ambitions are likely to meet the needs of CYP and can in due course demonstrate improved access and outcomes. A number of specific outputs to support delivery of these ambitions will be produced in 2016, including **KPIs**, **models of care for learning disability** and **transition to adult mental health services.**










MENTAL HEALTH - CHARTS


Warwick Edinburgh Mental Wellbeing scores:


2014/15





















MENTAL HEALTH - TREND











Surgery

Issues around the delivery of non-specialist emergency surgery for CYP relate to availability of anaesthetists and general paediatric surgeons. The HLP CYP programme is supporting the establishment of **surgical networks for CYP** to ensure rapid transfer where required, and reduction in variation in practice. These will be supported by a validated **directory of services (**MiDoS) which is available in NHS 111, all EDs and many GP practices, populated with services for CYP Standards for non-specialist emergency surgical care of children

Key metrics that start to describe the current state are included here:

- Torsion of testis a good example of a time critical surgical procedure
- Appendectomy a common surgical procedure in children
- Tooth decay an important proxy for general health in children
- Hospital admissions for dental caries removal of teeth under anaesthetic is the most common reason for surgery in CYP
- Tonsillectomy clinical practice varies widely





SURGERY TABLES


ссб	Admission for appendectomy per 100,000 population (0- 18)	Admission for torsion of testis procedure per 100,000 pop (0-18)	Tonsillectomy operations per 100,000 population aged 0-18
Barnet	80.7	4.5	133.0
Camden	54.4	2.3	108.7
Enfield	81.7	3.7	219.5
Haringey	78.6	3.3	133.8
Islington	63.9	5.1	135.6


STP	74.8	3.8	152.7
CFV	86.5	5.9	144.7
London	77.8	5.1	134.4
England	94.8	6.4	164.2








SURGERY - CHARTS















Closing the Health and Well Being Gap

The last section gives an indication of ED attendance and emergency admissions for CYP. They provide a general understanding of how both CYP and their families use health services. They may indicate where attention needs to be paid, for example in providing viable accessible alternatives to ED. HLP CYP programme has a primary care workstream looking at how **different models of primary care** to improve access, co-ordination and pro-activity of services may be developed.

Acute models of care outside hospital are being developed to reduce acute hospital admissions for CYP. This is in conjunction with development of **Paediatric** Assessment Unit Standards.

Self-care is a critical element in patient activation. The CYP programme is developing a free **CYP-friendly app** using relevant content from NHS Choices to support selfcare in CYP. This will contain CYP relevant content, linked to a web version. The web page will have the same content and will also reflect seasonal priorities eg managing stress at exam times or festival health tips during the summer. This may help CYP to make more informed choices about where and when to seek help for medical issues.





GENERAL HEALTH - TABLES

A&E ATTENDANCE AND ADMITTED ACTIVITY MEASURES BY CCG


	attenders	attendances (age 1-4) per	attendances (age 5-17)		attendances (age 19-25)	attenders	attendances (infants <1yr)	All admissions (under 18)	admissions (<1 yr) per	admissions (under 18)	Emergency Infant (<1 yr) average length of
CCG	A&E	population	population	population	population	A&E	population	population	population	population	stay
Barnet	15.9	692.7	400.4	478.7	634.0	9.2	1053.7	127.6	232.7	51.6	1.1
Camden	12.5	510.9	315.9	375.4	433.7	10.3	965.0	102.4	173.4	41.4	1.9
Enfield	36.5	767.2	422.5	510.4	609.2	13.9	1180.5	162.2	489.6	75.2	0.8
Haringey	33.3	663.6	373.3	452.0	670.8	15.4	1051.6	157.7	383.9	68.5	1.2
Islington	18.3	589.0	361.3	429.0	445.9	13.9	989.8	137.2	233.6	62.9	1.6


STP	25.0	666.1	384.6	461.2	554.2	12.4	1063.8	140.1	319.9	61.0	1.1
CFV	22.4	563.3	335.1	400.7	479.5	13.6	899.3	126.5	263.3	60.9	1.4
London	18.7	602.2	344.3	417.1	524.8	12.7	990.1	122.4	216.6	54.2	1.6
England	22.7	496.7	316.2	364.2	430.8	12.5	718.6	132.1	330.9	69.1	1.4








GENERAL HEALTH - ADMISSIONS


















GENERAL HEALTH - A&E ATTENDERS

